

DOVIS-PIS COMMONGE & netain , N library (JR) AD A 0 43820

MOST RoJect - 2

Project Plan No. 8-69

for

FASOR III CRUISE(U)

February 1969 — 1 September 1969.

Naval Undersea Warfare Center

San Diego, California 92132



wngraded at 3-year intervals/Declassified after 12 years/DOD DIR 5200.10

DISTRIBUTION STATEMENT A

Approved for public release Distribution Unlimited

UNICLASSIFIED



DEPARTMENT OF THE NAVY NAVAL UNDERSEA WARFARE CENTER

SAN DIEGO DIVISION 271 CATALINA BOULEVARD SAN DIEGO, CALIFORNIA 92152



60:CRH:mb SF 11 552 001 Task 11290 (NUWC 1108) Ser 60-015

2 JAN 1969

CERTIFIED 'I MAIL CONFIDENTIAL

From: Commander, Naval Undersea Warfare Center

To: Distribution List

Subj: Project Plan for FASOR III, "Forward Area Sonar Research III"

(CNO Project F/R 108); forwarding of

Encl: (1) NUWC Project Plan No. 8-69 for FASOR III Cruise

1. The Project Plan for the conduct of the FASOR III under CNO project F/R 108 is forwarded as enclosure (1). The detailed operations schedule (Annex A) is preliminary and will be modified as final details become known.

2. Distribution list addressees are invited to review the subject test plan and comments are welcomed. These should be forwarded to:
Dr. C. R. Haupt (Code 60), Naval Unders a Warfare Center, San Diego, California 92132 prior to 15 January 1969.

Distribution List: (w/encl) COMSUBPAC (2) COMSUBFLOT ONE (2) COMSUBDEVCKU ONE (2) COMSTSPAC (2)

DEPCOMOPTEVFORPAC (2)

RANEL
USS BAYA (AGSS-318) (3)
USNS CHAPLES H. DAVIS (AGOR-5) (3)
HMAS OTWAY (2)
HMAS DIAMANTINA (2)

Copy to: (w/encl) CNO (OP-07) CNO (OP-31) (2) CNO (OP-32) (2) CNO (OP-72) (2) CNO (OP-95) CNM (Code 03) (2) CNM (Code ASW-211) (2)

GROUPLA CLASSING AND SHIFT INTERVALS CLASSING STOR 12 YEARS CLOSING SOO.10



DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited





IK freefel -


UNCLASSIBLE

60 : CRH : mb SF 11 552 001 Task 11290 (NUWC L108) Ser 60-015

CINCLANTFLT CINCPACELT (2) COMSEVENTHFLT (2) COMSUBPAC (2) COMFIRSTFLT COMOPTEVFOR COMASWFORPAC COMNAVSHIPSYSCOM (2) COMNAVSHIPSYSCOM (Code 00V1) (3) MASWSP (CNM-PM-4) (2) COMNAVOCEANO (2) (Code 90) (Code 039) COMSUBFLOT SEVEN USNUSL OCEANAV (Code N6) NELC (4) PACSUPPGRU, NAVOCEANO (Code 7500)

CONFIDENTIAL

ACCESSION IN DISTRIBUTION / AVAILABILITY DOORS ANAL set or SPECIAL



NAVAL UNDERSEA WARFARE CENTER FASOR III PROJECT PLAN CNO PROJECT F/R 108

TABLE OF CONTENTS

Section		Page
1.	PURPOSE	1
2.	PREVIOUS WORK AND BACKGROUND	1
3.	DESCRIPTION OF EQUIPMENT	2
4.	PARTICIPATING ACTIVITIES AND UNITS	2
5.	OPERATIONS SCHEDULE	5
6.	EVENTS AND OPERATIONAL PROCEDURES	9
7.	COMMUNICATION	17
8.	REPORTS	18
9.	PROJECT LIAISON PERSONNEL	19
Annex		
A	DETAILED OPERATIONS SCHEDULE	20

LIST OF KEY WORDS AND ABBREVIATIONS

FASOR Forward Area Sonar Research

F/R Fleet Research Project

NUWC Naval Undersea Warfare Center, San Diego, California

RANEL Royal Australian Navy Experimental Laboratory,

Sydney, Australia

BAYA USS BAYA (AGSS-318) attached to COMSUBDEVGRU ONE,

San Diego, California

DAVIS USNS CHARLES H. DAVIS (AGOR-5) attached to MSTSPAC

in San Francisco, California

DIAMANTINA HMAS DIAMANTINA attached to Royal Australian Navy

OTWAY HMAS OTWAY attached to Royal Australian Navy

OCE Officer Conducting the Exercise (C.O., USS BAYA)

SIC Scientist-in-Charge - The SIC aboard BAYA has overall

responsibility for the conduct of the scientific program.

NAVAL UNDERSEA WARFARE CENTER FASOR III PROJECT PLAN CNO PROJECT F/R 108

Section 1

PURPOSE

- 1. The principal purpose of this project is to extend the ocean investigations pertinent to long range active sonars using convergence zone and bottom reflected paths to additional ocean areas in Southeast Asia that are of importance. These investigations will include:
- a. Compiling of noise and propagation data applicable to both active and passive systems, and the obtaining of all necessary supporting environmental and oceanographic data including bottom structure and bottom loss measurements.
 - b. Continuation of the collection of data for classification studies.
 - c. Compiling of reverberation data.
 - d. Obtaining ambient noise measurements.
- e. Operation of a low frequency source for special acoustic transmission tests.
- 2. CNO Confidential letter Ser 060871 of 18 June 1968 fully discusses the background and goals to be achieved during the FASOR III cruise.

Section 2

PREVIOUS WORK AND BACKGROUND

- 1. FASOR III tests and procedures are a continuation of and similar to those conducted during FASOR I and II. Some modifications have been made to take advantage of improved equipment and instrumentation which has become available. Additionally, the FASOR III effort has been expanded to include units of the Australian Navy. This cooperative enterprise will provide for joint submarine/ surface ship operations and will be advantageous to both countries.
- 2. FASOR III is scheduled to begin 10 February 1969 and will require approximately seven months for completion. Geographic areas are chosen for their operational and acoustic significance. These areas will include regions of deep, intermediate, and shallow water. The FASOR III at sea operations should be completed about 25 August 1969.

Section 3

DESCRIPTION OF EQUIPMENT

- 1. The equipment on BAYA is essentially as described in NEL Confidential letter SF 101 03 06, Task 8016 (NEL E1-3) Ser 3110-031 of 20 May 1964 and in NEL Report 1060. Supplemental changes in the equipment are described in NEL Confidential letter SF 101 03 15, Task 11290 (NEL L10851) Ser 3110-06 of 2 March 1965 and in NEL Confidential letter SF 11 121 100, Task 11197 (NUWC E119) Ser 603-028 of 29 August 1968. More recent changes include: An Active Signal Processor (ASP) installed in November 1968. It replaces the existing AN/BQS-5 equipment between the beamformer and the computer, including the Bearing Data Encoder presently used for signal level measurement. It utilizes the capability of the BAYA transmitter, now proven, to handle signal bandwidths as great as 300 Hz centered at 1500 Hz. For additional details of equipment aboard BAYA see CNO Confidential letter Ser 060871 of 18 June 1968.
- 2. The CHARLES H. DAVIS carries a modern and complete suit of oceanographic equipments with computer-aided facilities for data analysis. She will again carry NUWC (SD) manufactured echo repeaters and transponders which BAYA will use as standard targets in echo ranging tests and as acoustic sources of known strength for reciprocal transmission measurements. The Laboratory has designed and will have available for use on FASCR III a greatly improved Echo Repeater Transponder combination which will operate in both the lower frequency (1500 Hz) and the higher frequency (4300 Hz BRASS-II) regions. The echo repeater will provide greater linearity of response, controllable levels of simulated target strength and the time saving advantages of having to deploy only a single device overside for use in both frequency regions.

A standard 100-inch sonar dome containing two 1.5 KHz sources, two 4.3 KHz sources, and a UQC transducer is installed on the bottom of the DAVIS at frame No. 32. The projectors in this dome will be used for one-way signal measurements, for rough weather stations, and for direct comparison with explosive sources.

Section 4

PARTICIPATING ACTIVITIES AND UNITS

- 1. Commander, Naval Undersea Warfare Center is responsible for the prosecution of this project. The SIC aboard BAYA is designated as his representative in the operating area and is authorized to modify or alter test details, procedures, etc., as necessary to fulfill test objectives, keeping NUWC and other pertinent commands informed. Specifically, SIC is responsible for:
 - a. Overall supervision and conduct of the tests.
 - b. Detailed scheduling of project operations.

- c. Keeping OCE fully informed of status of tests, problem areas etc. All changes to this plan which effect safety or movement of ships must be discussed with OCE and concurrence obtained from him.
- ${f d.}$ Submission of Summary Reports as directed in the Reports Section of this plan.
- e. Briefly of all supporting personnel prior to commencement of project operations.
- ${\bf f.}$ Status and optimum adjustment of the equipments associated with the tests.
 - g. Collection, reduction, and forwarding of data for further analysis.
- 2. The following ships will participate in the test operations:

	Ships		ETD/Ports	Area	ETA/Ports
	USS BAYA (AGSS-318)		100900UFeb (San Diego)	MID, SO & WESTPAC and INDIAN OCEAN	29 Aug 1969 (San Diego)
USNS CHARLES H. DAVIS (AGOR-5)		ES H. DAVIS	111200UFeb (San Diego)	MID, SO & WESTPAC and INDIAN OCEAN	3 Oct 1969 (San Diego)
HMAS OTWAY			02-30 Apr 130800Apr (Sydney)	(Sta. ECHO FOUR through Sta. HOTEL)	6 May (Sydney)
HMAS DIAMANTINA		NTINA	29 Mar - 6 May (Sydney)	(Sta. ECHO TWO through Sta. MIKE)	6 Jun (Djakarta)
	Loading Sci	hedule:			
	BAY	YA	DAVIS	OTWAY	DIAMANTINA
	Location:	San Diego	San Diego	Sydney	Sydney
	Dates:	3-7 Feb 1969	3-7 Feb 1969	2-13 Apr 1969	28 Mar 1969
	Unloading S	Schedule:			
	Location:	San Diego	San Diego	Sydney	Djakarta
	Dates:	2-18 Sep 1969	6-10 Oct 1969	6-8 May 1969	6 June

- 3. The Commanding Officer of each ship participating in this project is responsible for:
 - a. Conducting operations in accordance with this plan.
- **b.** Assigning a liaison officer to assist SIC in all shipboard matters affecting the project.
- c. Ensuring that all supporting equipment associated with the tests is operating at maximum efficiency throughout the test period.
- d. Submission of a completion report to NUWC following termination of project operations. This report should be general in nature and will be used in planning for future FASOR operations.
- 4. Nothing in this project plan shall be construed to interfer with the inherent responsibilities of the Commanding Officers of the participating ships for maintaining safety of their ships and personnel.
- 5. In view of the fact that the participating units are of various types (SS, AGOR), have different nationalities (U.S., Australian), and have personnel of different status (military, civilian) aboard, it is necessary to establish command relationships and responsibilities. The following command structure shall be observed for the conduct of the project operation:

SHIP CHAIN OF COMMAND

- a. C.O. BAYA is OCE for the Task Group consisting of BAYA, DAVIS, OTWAY, and DIAMANTINA.
 - b. C.O. BAYA is OCE for joint operations of BAYA and DAVIS only.
 - c. C.O. BAYA is OCE for joint operations of BAYA and OTWAY only.
 - d. C.O. BAYA is OCE for joint operations of BAYA, OTWAY, and DAVIS only.
 - e. C.O. DAVIS is OCE for joint operations of DAVIS and DIAMANTINA only.

SCIENTIFIC CHAIN

The SIC aboard BAYA has overall responsibility for NUWC in the conduct of the project operations and for direction of the scientific work aboard BAYA. The SIC aboard DAVIS is responsible for direction of the scientific work aboard DAVIS, for coordination with SIC BAYA, and for coordination with scientific work aboard DIAMANTINA when she is participating. The SIC aboard OTWAY (NUWC personnel) is responsible for the scientific work aboard OTWAY and for coordination with SIC BAYA.

- **6.** A Movement Report will be issued by COMSUBPAC/COMSUBFLOT ONE covering BAYA participation in FASOR III.
- 7. MSTSPAC has assigned DAVIS to participate in FASOR III.
- 8. RAN has assigned DIAMANTINA and OTWAY to participate in FASOR III

Section 5

OPERATIONS SCHEDULE

1. The operations required by this plan will be conducted in accordance with the general schedule given below. Detail scheduling is given in Annex A.

* (Port arrival and depart Local Time)
(Stations based on GMT Time)

OPERATING SCHEDULE

GENERA		LDUIL	=-													
REMARKS									DIAMANTINA arrive sta 20 hrs prior to DAVIS							
NA DEF								29 Mar	01 Apr	12 Apr		14 Apr	17 Apr	21 Apr	26 Apr	
DIAMANTINA ARR DE								28 Mar	29 Mar	02 Apr		12 Apr	15 Apr	20 Apr	25 Apr	
DEP										15 Apr		16 Apr		21 Apr	26 Apr	
OTWAY ARR												13 Apr		20 Apr	25 Apr	
DEP	11 Feb	24 Feb	01 Mar	07 Mar	15 Mar	20 Mar	25 Mar		01 Apr	13 Apr		15 Apr		22 Apr	26 Apr	
DAVIS		20 Feb	27 Feb	05 Mar	10 Mar	18 Mar	23 Mar		30 Mar	02 Apr		14 Apr		20 Apr	25 Apr	
DEP	10 Feb	24 Feb	01 Mar	07 Mar	15 Mar	19 Mar	25 Mar			13 Apr		15 Apr		21 Apr	26 Apr	
BAYA ARR		21 Feb	27 Feb	06 Mar	10 Mar	18 Mar	23 Mar			01 Apr		13 Apr		20 Apr	25 Apr	
MILES		2400	615	076	200	510	790		1185	1320	30	From Sydney 120	380	1030	099	
LONG			160°00W	166°00W		172°30W	174°35E	151°50E	153°20E		151°35E	153°20		160°00E	152°55E	
LAT			11°00N	03000		22°35S	26°10S	34°00S	34 ₀ 00s		33°45S	33°00E		16°40S	08°21S	
STATION	*SAN DIEGO	*PEARL HARBOR	ALFA	BRAVO	*SAMOA	CHARLIE	DELTA	ECHO-ONE	ECHO-TWO	*SY DNEY	ECHO-THREE	ECHO-FOUR	*BRISBANE	FOXTROT	4TO9	
						6					(0011	DED	TI	41	

* (Port arrival and depart Local Time)
 (Stations based on GMT Time)

OPERATING SCHEDULE (Cont'd)

	urns												A leaves			
REMARKS	OTWAY returns to SYDNEY												DIAMANTINA leaves Cruise			
INA DEP	30 Apr		07 May	10 May	15 May	22 May	23 N.29	24 May	26 May	28 May	30 May	02 May				
DIAMANTINA ARR DE	28 Apr		03 May	08 May	13 May	16 May	23 May	24 May	25 May	27 May	29 May	01 May	04 Jun			
Y DEP	30 Apr															
OTWAY ARR	28 Apr	5 May														
S DEP	30 Apr		07 May	11 May	15 May	22 May			26 May	29 May		03 Jun	unf 60	16 Jun	20 Jun	
DAVIS	28 Apr		03 May	08 May	13 May	16 May			24 May	27 May		01 Jun	05 Jun	13 Jun	18 Jun	
DEP	30 Apr		07 May	10 May	15 May	22 May			26 May	29 May		02 Jun	unf 60	15 Jun	20 Jun	
BAYA	28 Apr		03 May	09 May	13 May	16 May			24 May	27 May		01 Jun	05 Jun	14 Jun	18 Jun	
MILES	375	1220	350	7690	290	130	360	120	Fm DAR 570	325	200	Fm K1 560	390	1050	550	
LONG	151°00E			10°00S 139°00E	129°00E		125°30E	124°00E	121°30E	116°26E	113°00E	107°38E		02°00N 93°00E	84°00E	
LAT	14°055			10°00s	11°30S		10°30S	11°00S	110308	13°08S	11°00S	10°00S		02°00N	03°00N	
STATION	HOTEL	*SYDNEY	*PORT MORESBY	INDIA	JULIETTE	*DARWIN	KILO-ONE	KILO-TWO	KILO-THREE	LIMA-ONE	LIMA-TWO	MIKE	*DJAKARTA	NOVEMBER	OSCAR	
						7						(ONE	IDE	NTI	ΛL

* (Port arrival and depart Local Time) (Stations based on GMT Time)

OPERATING SCHEDULE (Cont'd)

PEMAPKS	KETHIKAS					BAYA Return to S.D. via Hong Kong, Yokosuka	DAVIS conduct ambient noise measurements										
DIAMANTINA																	
) neb	DEF	26 Jun	30 Jun	05 Jul	08 Jul	16 Jul	20 Jul	24 Jul	27 Jul	31 Jul	5 Aug	8 Aug	13 Aug	20 Aug			
DAVIS	AKK	22 Jun	28 Jun	03 Jul	06 Jul	11 Jul	18 Jul	22 Jul	25 Jul	29 Jul	2 Aug	6 Aug	11 Aug	19 Aug			
aau aau	UEF	26 Jun	30 Jun	04 Jul	08 Jul	16 Jul											
BAYA		22 Jun	28 Jun	03 Jul	06 Jul	11 Jul											
MILES		360	520	089	370	097	097	370	320	007	520	360	550	006			
ONO	LUNG		84°00E	95°00E	98°15E		98°15E	95°00E	90°00E	84°00E		84°00E	93°00E				
EV I	LAI		13°00N	11°20N	N00 ₀ 90		06°00N 98°15E	11°20N	11°00N	13°00N		03°00N	02°00N				
MOTHARS	STALLON	*COLOMBO	PAPA	QUEBEC	RONEO	*SINGAPORE	ROMEO	*фиевес	SIERRA	PAPA	*COLOMBO	OSCAR	NOVEMBER	*SINGAPORE			
							⁸ 6901	07-	2193	3	(100	IFIE	EN(TIA	L	

Section 6

EVENTS AND OPERATIONAL PROCEDURES

- 1. The objectives of this cruise are as follows:
- a. To measure those properties of ocean areas, including ambient noise, reverberation and those bottom characteristics which directly affect passive detection to 200 mile range and echo-ranging to ranges of 35 miles.
- b. To perform echo-ranging tests using both a repeater/transponder buoy, and a submarine target.
- c. To measure signal coherence and to make the results available for echo ranging and sonar communication design studies and for performance predictions.
- 2. Auxiliary acoustic information and data on environmental characteristics of the area will be obtained by personnel aboard DAVIS and DIAMANTINA. DIAMANTINA will carry a scientific group from the RANEL (Royal Australian Navy Experimental Laboratory). Data obtained by DAVIS and/or DIAMANTINA should include for each area:
 - a. Sea surface information
 - b. Bathythermograms
 - c. Volume surface and bottom back-scattering
 - d. Normal incidence acoustic bottom reflections
 - e. Nansen casts
 - f. Sediment samples with cores
 - g. Stereo and photogrammetric records of the bottom
 - h. Net hauls
 - i. Velocimeter, or velocity-temperature-depth probes
 - j. Sparker records of bottom sub-layers
 - k. Ambient noise
 - 1. Towed array noise and S/N ratios
 - m. Bottom profiles (gross and precision)
 - n. Signal coherence and/or sonar communications
- Continuous overall position plots relating times and locations of data obtained.



These and other tests will be scheduled by the SIC aboard DAVIS and DIAMANTINA to fit into time available at each station and for minimum interference with inter-ship measurements.


3. Stations to be occupied during this cruise include deep, medium and shallow water depths. Appropriate events for various combinations of ships and submarines are described in this plan. Appendix I to this Project Plan contains the Paliminary Master Schedule of Events for each station. This schedule will be adjusted appropriately as additional information becomes available. Scientists aboard each ship will be provided with a separate Area Folder for each station. These will contain sonar predictions and other information for use in the planning of data collection. The area folders will be available at each port for use in reviewing the schedule of events to be conducted at each station to be taken prior to arrival at the next port. Further on-station adjustments to these schedules will be made as necessary to best accomplish the test objectives within the instrumentation status and environmental conditions actually encountered. Selection of all events, sequence of events, ship and target positioning, times for COMEX, and duration of events will be the responsibility of SIC aboard BAYA with concurrence of OCE. Surface ships may conduct independent operations during submarine events which do not involve them. Planning and coordination of independent surface ship operations will be accomplished during pre-sailing conferences in port and by separate communications between the surface ships at sea.

It is expected that BAYA will spend an average of about 38 hours at each station and DAVIS approximately 54 hours. Wherever possible, DAVIS will arrive on station 6-8 hours prior to BAYA's arrival. DAVIS may use this extra time to obtain a Nansen cast at the rendezvous point, and make other environmental measurements as time permits. DAVIS will calibrate and launch an echo repeater/transponder buoy prior to echo ranging events and retrieve it following these events as requested by SIC on BAYA. High differential drift between DAVIS and the echo repeater/transponder buoy may require compromises on priority of DAVIS measurements or requests that DIAMANTINA assist.

DIAMANTINA will participate on Stations ECHO ONE to MIKE inclusive and may occupy several additional stations not indicated here. The Australian submarine OTWAY, will serve as target for both active and passive detection trials on Stations E4, F, G, and H, and will also transmit signals and record data using equipments manned by NUWC personnel on board.

Ship movements at shallow-water stations will be similar to those for deep-water stations and the same event descriptions are used. Essential differences will be:

a. Pre-selected range for shot run will be a best estimate of the maximum echo-ranging range for the area. After first echo-ranging trials, SIC may select longer or shorter ranges for the additional runs.



- b. Tilted transducers will not be used, unless required by SIC for limited sampling in special cases.
 - c. Echo repeater/transponder buoy may be anchored if position is critical.

Initial positioning of ships for echo-ranging events will be accomplished with submarines surfaced. The following aids are available:

- a. Radar: Best for short range, but not available at the ranges normally required for deep water stations.
- b. Satellite Navigation: Receivers will be installed on BAYA and DAVIS. Provides precise positions, but is dependent upon satellite schedules. DAVIS will give her location to BAYA via radio to make range and bearing information available to SIC. OTWAY, when involved, may be requested to take initial position relative to DAVIS, using radar, to make use of the satellite navigation capability.
- c. RARIE: Radio ranging equipment which includes a master station aboard BAYA and a transponding station aboard DAVIS or OTWAY, provides accurate range but no bearing information.
- 4. EVENTS or experiments which involve or are of interest to more than one ship are described below. These events are grouped with the first group consisting of events involving BAYA, DAVIS and echo repeater/transponder buoy. The following groups include events involving BAYA and OTWAY; BAYA, OTWAY and buoy; DIAMANTINA and DAVIS; and MISCELLANEOUS EVENTS.
- 5. The following events involve BAYA and DAVIS only:

EVENT I: Shot Run and Area Search (7-hour duration)

BAYA dive, rig booms and take proposed heading for explosive run. BAYA will transmit signals and obtain acoustic returns indicating clear path or possible uncharted sea mounts. When both ships indicate ready by underwater telephone, DAVIS drop 3 deep charges at 20-sec intervals. DAVIS run at 5 K. First shot should detonate on an even 3-minute interval of thw WWV hour. Shots will be detonated on schedule so as to produce 6 single shot signals on 2-minute spacing, 6 on 4-minute spacing and 20 shots on 6-minute spacing. All subsequent shots at 12-minute intervals. Three deeper shots at 30 second intervals will signify end of run. During the 6 and 12-minute interval spaced shots, one minute after the shot, BAYA will transmit 1.5 and 0.5 sec pulses every 10 sec until a total of ten signals are sent. BAYA will hover, maintain requested headings, and will record all explosive signals, for duration of shot run. BAYA may remain submerged after the Shot Run continue DRT and measure bottom reverberation while DAVIS calibrates and deploys repeater/transponder.

EVENT II. BAYA and BUOY: Convergence Zone; Two Frequencies: (5-hour duration)

BAYA take two or more headings as requested for bottom reverberation measurements. BAYA return to heading toward buoy and commence echo-ranging run at about 2 knots. A small down angle is requested to clear the bow from the BRASS II beam. DAVIS conduct independent measurements.

EVENT III. BAYA and BUOY: Convergence in ne, Coded Signal: (6-hour duration)

At designated position, BAYA dive to requested depth and take heading toward target. At COMEX, BAYA commence closing slowly. PRN and FM echoranging will be conducted using a pre-arranged schedule and shared time on the lower frequency bands. Sampling at 4.3 kHz may be considered by SIC on a not-to-interfere basis. After closing through the convergence zone, BAYA will be requested to back down or otherwise maneuver to re-cross the zone from duration of run. DAVIS maintain station within \pm 10 degrees of buoy from BAYA to provide for reception of transponder (TRACER) signals from DAVIS.

EVENT IV. BAYA and BUOY: Bottom Bounce, 2 Frequencies: (5-hour duration)

BAYA at pre-selected range and depth approach buoy. On request of SIC and when 1.5 kHz is near optimum, BAYA either back, or retrace, or modify original course while 4.3 kHz band is tested. Resume closing run at 1.5 kHz. Log course and frequency changes with times on DRT.

EVENT V. BAYA and BUOY: Bottom Bounce, Coded Signal: (6-hour duration)

At designated position, BAYA dive to requested depth and take heading toward target. At COMEX, BAYA commence closing slowly. PRN and FM echoranging will be conducted using pre-selected tilts of the transducers. When best range is determined, BAYA will be requested to maintain position. DAVIS maintain station within \pm 10 degrees of buoy from BAYA to provide reception of transponder (TRACER) signals from DAVIS.

6. The following events involve BAYA and OTWAY:

EVENT VI. BAYA and OTWAY; 2 Frequencies (3-hour duration)

OTWAY dive to requested depth and present beam aspect to BAYA after opening range according to pre-arranged plan. OTWAY hover or make minimum speed so as to maintain stable situation. Event terminates 5 hours after dive.


EVENT VII. BAYA and OTWAY; Coded Signal: (6-hour duration)

OTWAY take station at a range (on the order of 15 to 35 miles) from BAYA and on a base bearing as specified by Scientist-in-Charge on BAYA. Range and base bearing will depend on area where this event is conducted. Both submarines dive, BAYA to 150 feet and OTWAY to periscope depth. OTWAY present 090 degree aspect and hold position (minimum turns) while BAYA rigs receiving

array. BAYA maintain heading and close range at minimum turns. COMEX will be 30 minutes after dive. OTWAY commence following snorkel run at six knots starting at COMEX:

RELATIVE TIME	OTWAY COURSE (Relative to base bearing)
0000	090°R
0030	180°R
0045	270°R
0145	000°R
0200	090°R
0300	180°R
0315	2 70°R
0415	000°R
0430	090°R
0530	Surface

OTWAY TRACK



OTWAY is requested to maintain DRT plot on scale 1'' - 2000 yards with entries every 5 minutes for duration of dive.

EVENT VIII: BAYA, OTWAY; BRASS-II Only: (5-hour duration)

With OTWAY at a range of 10,000 yards on BAYA's starboard beam, both submarines dive at designated time to pre-arranged depth and proceed at 2 knots on pre-arranged base course. Both submarines requested to make DRT plots during run on scale of 1" - 2000 yards, showing own and best estimates

of other submarines track. BAYA will operate only BRASS-II equipment during this run. Fifteen minutes after dive COMEX following run:

RELATIVE TIME	BAYA COURSE (Relative Bearing)	TARGET COURSE (Relative Bearing)
0000	000°	0 00°
0100	330°	0 30
0120	000°	000°
0200	330°	045°
0220	0 00°	0 00°
0300	330°	0 60°
0320	000°	000°
0400	330°	0 60°
0420	0 00°	000°
0500	Surface	Surface

7. The following events involve BAYA, OTWAY, and DAVIS.

EVENT IX: BAYA, OTWAY & BUOY: 2 Frequencies (5-hour duration)

DAVIS deploy echo repeater/transponder buoy with Kytoon and stand clear. At a pre-arranged depth not less than 200 feet, OTWAY circle buoy at 3 knots at 1000 yard range held constant + 200 yards. OTWAY maintain DRT log and a separate log at 5 minute intervals of echo repeater/transponder buoy true bearing. Run terminates 5 hours after dive. DAVIS stand clear by at least 3 miles during this operation, and approach buoy only after OTWAY surfaces.


EVENT X: BAYA, OTWAY and BUOY: Coded Signal: (6-hour duration)

BAYA take station at range from the buoy (on the order of 18 to 35 miles depending on local propagation conditions) requested by the Scientistin-Charge. OTWAY take station 5000 yards from buoy on base line between BAYA and buoy. At designated time, both submarines dive to a depth of 150 feet and hover. BAYA take heading toward buoy (on base bearing) and OTWAY take heading such that buoy is on port beam and BAYA on starboard beam (090° Relative to base bearing). COMEX will be one hour after dive. Upon COMEX, OTWAY commence following run at 3 knots:

14

RELATIVE TIME	OTWAY COURSE
	(Relative to base bearing)
0000	090°R
0030	180°R
0045	270°R
0145	000°R
0200	090°R
0300	180°R
0315	270°R
0415	000°R
0430	090°R
05 00	Surface

OTWAY TRACK



OTWAY is requested to maintain DRT plot on scale 1'' - 2000 yards with entries every 5 minutes for duration of dive.

8. The following events involve DIAMANTINA and DAVIS:

EVENT XI: DAVIS Closes DIAMANTINA and Commences Station Tests (24-hour duration)

close approaches. DIAMANTINA will normally remain on station until EVENT I (Shot-run) is completed. If course for EVENT I is altered, DAVIS notify

DIAMANTINA so that she can stand clear. DIAMANTINA may lay-to or maneuver with TOWFLEX during EVENT I and will normally depart station soon thereafter.

EVENT XII: DIAMANTINA Departs: DAVIS On-Station VLF Transmissions (Duration Depends on Departure of DIAMANTINA from Station)

After DAVIS concludes Shot Run and any required buoy deployment, DIAMANTINA may pass close aboard for short-range check of DAVIS VLF source at 3 frequencies. DIAMANTINA departs and DAVIS transmits VLF the first 20 minutes every six hours starting precisely on the hour. Two SUS (one 800 ft. shot and one 60 ft. shot) conclude the transmission. Exact Shot times will be passed by radio. This event terminates when DAVIS completes station. Last transmission from the station will be identified by a longer time period between the 3 frequency samples. These longer quiet periods will be exactly 5 minutes, and the total transmission will continue 5 to 10 minutes longer than the ordinary, nominal 20-minute, samples.

EVENT XIII: DIAMANTINA Towflex: DAVIS Sparker and VLF Runs (Duration not more than 6 hours)

Sparker transmissions for sub-bottom profiling are required DAVIS measurements but must be scheduled with consideration of DAVIS VLF transmissions to DIAMANTINA so as to minimize incompatibility. Use of sparker and subsequent interruption of VLF may be as follows: Sub-bottom profiling (18,000 Joule sparks every 4 seconds at 20 ft. depth) will commence at an opportune time on station and continue for about 5 hours. VLF schedules will normally occupy a 20 minute period every 6 hours. Hence, the scheduling of this EVENT XIII will indicate a probable cancellation of one VLF transmission under EVENT XII.

EVENT XIV: DIAMANTINA Towflex Monitoring Other Ships on Parallel Run (4-1/2 hour duration)

This event may be conducted between FASOR stations. A message confirming the plan will be originated by BAYA at least 24 hours before completion of the prior station. BAYA may be limited for participation in this event by condition of battery charge.

DIAMANTINA and DAVIS depart prior station so as to take up parallel courses with 20 n. mi. separation for this EVENT. At COMEX and at 30 minute intervals DAVIS will transmit three frequency samples on VLF overside transducer while DIAMANTINA records on TOWFLEX.

If BAYA can dive for 3 hours or longer, she should take position halfway between and somewhat astern of surface ships so that DIAMANTINA and/or DAVIS bear about 060 and 300 degrees relative. At time 45 mimutes, and 1 hour 15 minutes, 1 hour 45 minutes and 2 hours 15 minutes after COMEX BAYA transmit 3 frequency samples on VLF transducer.

If OTWAY participates, she should take position ahead of surface ships with range approximately 10 miles and relative bearing to DIAMANTINA about 30 abaft the beam. OTWAY snorts throughout this event.

EVENT XV: Shot Run by DIAMANTINA (4-hour duration)

This event should be scheduled to follow DAVIS Shot Run in areas where there is reason to believe that propagation along a second course would be of interest. Examples might be up-slope or down-slope bottoms as compared with a constant depth course. DIAMANTINA open along this "second" course and drop charges as scheduled for EVENT I.

9. MISCELLANEOUS EVENTS (Used primarily for inter ship-calibrations and Special Activities)

EVENT XVI: Submarine Battery Charge (8-hour duration)

BAYA and/or OTWAY charge batteries and choose courses so as to arrive in position for next event. Current estimates of time for this event will be of interest to other ships.

EVENT XVII: BAYA Check Source Levels vs DAVIS (2-hour duration)

BAYA dive to make a run directly under DAVIS. Receiving booms need not be rigged. BAYA log best estimate of relative position every 5 minutes. BAYA's sources will be triggered by an acoustic transmission from DAVIS. UQC may be used in positioning but should not be operated during last 750 yards of run. Time availability for this event is contingent on scheduling of other runs and on prompt or early arrival on station.

Section 7 COMMUNICATION

1. Communication frequencies assigned each unit are as listed below:

TYPE	FREQUENCY	VESSEL	CALL SIGN
Primary (AM)	2558 kHz	USS BAYA USNS DAVIS HMAS OTWAY HMAS DIAMANTINA	FLORIDA 10 FLORIDA 14 FLORIDA 15 FLORIDA 16
Secondary &	3510 kHz	Same	Same
Back up (AM)	2670 kHz	Same	Same
UHF (AM)	312.12 MHz	USS BAYA USNS DAVIS	FLORIDA 10 FLORIDA 14
UHF (FM)	140.34 MHz	USS BAYA USNS DAVIS	FLORIDA 10 FLORIDA 14

- 2. All shipboard communication will be submitted to appropriate authority for release, as designated by the Commanding Officer.
- 3. BAYA will handle all classified traffic for DAVIS.

Section 8

REPORTS

- 1. SIC will prepare a summary report of results obtained for each station. These reports will be mailed, by registered mail, upon arrival at the next port to Commander, Naval Undersea Warfare Center, Attention Dr. C. R. Haupt, Code 60. A copy of the station report will be furnished to OCE. SIC will originate a brief report of work at each station for transmission by radio message upon completion of work at that station.
- 2. A preliminary summary report on FASOR III will be submitted to Commander, Naval Ship Systems Command, Code OOV1, within 30 days following completion of the FASOR III trip.
- 3. The C.O. of each ship is requested to submit a summary letter report, including comments on any aspect of FASOR III which would be helpful in the planning of future FASOR trips. These reports should be addressed to Commander, NUWC, attention Dr. C. R.Haupt, Code 60, and are desired within 30 days following completion of their participation in the FASOR III project.

Section 9 PROJECT LIAISON PERSONNEL

J. Cummins Scientist-in-Charge, DAVIS, 8 Apr - 7 June J. Percy Scientist-in-Charge, DAVIS, 8 June - 11 July G. Wenz Scientist-in-Charge, DAVIS
NUWC, San Diego J. Cummins Code 503 NUWC, San Diego J. Percy Code 503 NUWC, San Diego G. Wenz Code 605 RANEL, Sydney, Australia R. Wyber RANEL, Sydney, Australia Dr. W. Hunter

<u>P R E L I M I N A R Y</u>

ANNEX A

to

NUWC FASOR III PROJECT PLAN

DETAILED OPERATIONS SCHEDULE

PRELIMINARY

Detailed Operations Schedule

1. This schedule will be reviewed at each port during pre-sailing conferences by the SIC and representatives of each ship to confirm or modify the schedules for stations to be talm prior to arrival at the next port. Adjustments on station may also be made to accommodate special requirements and to best accomplish goals within the environmental and instrumentation situation actually encountered. Such adjustments to the schedule of events are the responsibility of the SIC aboard BAYA subject to concurrence by OCE. Times shown are approximate. COMEX for events will be established on station.

Station ALFA Rendezvous: Lat 11°00N Long 160°00W Time zone +11 X

271200ZFeb DAVIS arrive on station

271200Z - 272000ZFeb DAVIS make environmental measurements including

Nansen Cast.

272000ZFeb BAYA arrive on station.

272000Z - 2200Z Event XVII (BAYA Source Level Measurements)

272200Z - 280500Z Event I: (Shot Run and Area Search)

280500Z - 281100Z Event III: (Convergence Zone; Coded Signal)

(DAVIS conduct independent tests including

TRACER recording)

281100Z - 281200Z BAYA reposition (Surface)

281200Z - 281600Z Event II (Convergence Zone, 2 Frequencies) DAVIS

measure volume reverberation and make net hauls.

281600Z - 010000Z Event XVI (Battery Charge) DAVIS continue with

coring, sediment sampling, etc.

010000Z - 010500ZMar Event V (Bottom Bounce, Coded Signal)

010500Z - 010600Z BAYA Reposition (Surface)

010600Z - 01200Z Event IV, (Bottom Bounce, 2 Frequencies)

O12000ZMar BAYA depart. DAVIS recover buoy and complete

measurements.

O11800ZMar DAVIS depart station.

Station BRAVO Time Zone +11 X Rendezvous: Lat 03°00S Long 166°00W

O51600ZMar DAVIS arrive on station, commence measurements

including Nansen Casts.

O60000ZMar BAYA arrive on station.

060000Z - 060700Z Event I

060700Z - 061300Z Event III

O61300Z - O61400Z BAYA surface and reposition

061400Z - 061900Z Event II

061900Z - 070300Z Event XVI (Battery Charge)

070300Z - 070900Z Event V

070900Z - 071000Z BAYA surface and reposition

071000Z - 071500Z Event IV

071500Z BAYA depart area

O72200ZMar DAVIS depart area

Station CHARLIE Time zone +12 Y Rendezvous: Lat 22°35S Long 172°30W

172300ZMar DAVIS arrive on station

180800ZMar BAYA arrive on station

180800Z - 181000Z Event XVII

181000Z - 181700Z Event I

181700Z - 182300Z Event III

182300Z - 182400Z BAYA reposition (surface)

190000Z - 190400Z Event II

190400Z - 191200Z Event XVI

191200Z - 191800Z Event V

191800Z - 191900Z BAYA surface and reposition

191900Z - 192300Z Event IV

192300ZMar BAYA depart

200600ZMar DAVIS depart

Station DELTA Time zone -12 M Rendezvous: Lat 26°10S Long 174°35E

231100ZMar DAVIS arrive on station

231900ZMar BAYA arrive on station

231900Z - 240200Z Event I

240200Z - 240800Z Event III

240800Z - 240900Z BAYA reposition

240900Z - 241300Z Event II

241300Z - 242100Z Event XVI

242100Z - 250300Z Event V

250300Z - 250400Z BAYA reposition

250400Z - 250900Z Event IV

250900ZMar BAYA depart

251700ZMar DAVIS depart

Station ECHO-ONE Rendezvous: Lat 34°00S Long 151°50E

28-29 March DIAMANTINA make independent measurements

Station ECHO-TWO Time zone -10 K Rendezvous: Lat 34°00S Long 153°20E

291900ZMar Event XI - DIAMANTINA on station; DAVIS commence

VLF acoustic transmissions. DAVIS will transmit at 291900Z; 300100Z; 300700Z; commencing exactly on the hour. Time will be set by WWV. DAVIS will drop 2 SUS charges at the conclusion of each transmission period. First drop to detonate

at 800 foot depth and the second drop at 60 feet. Exact shot times will be passed to

DIAMANTINA by radio.

301500ZMar DAVIS arrive on station.

301500Z - 302300Z Event XI continues, modified as necessary.

DIAMANTINA make close approach to DAVIS to calibrate VLF signal. Continue TOWFLEX run. DAVIS will transmit on 6 hour schedule or as

requested during run.

302300Z - 010600Z DIAMANTINA departs area. DAVIS make environmental

measurements, including Sparker runs; and/or explosive shots which may be monitored by

DIAMANTINA.

O10600ZApr DAVIS depart area

Station ECHO-FOUR Time zone -10 K Render us: Lat 33000S Long 153020E

121900ZApr DIAMANTINA arrive on station. Event XI

commence at 122300Z.

131000ZApr DAVIS arrive on station.

131200ZApr BAYA and OTWAY arrive on station.

131200Z - 131700Z Event I - OTWAY open range with DAVIS. DAVIS

does not launch buoy. DIAMANTINA stand clear

and monitor shot run. Continue Event XI.

131700Z BAYA surface to establish range to OTWAY.

131800Z - 132300Z Event VI - DAVIS conduct independent measurements.

DIAMANTINA commence Event XII.

132300Z - 132400Z BAYA and OTWAY surface and reposition.

140000Z - 140600Z Event VII.

140600Z - 141400Z Event XVI (Battery Charge)

141400Z - 142000Z Event VII

142000Z - 142100Z BAYA and OTWAY surface and reposition

142100Z - 150200Z Event VIII

150200ZApr BAYA and OTWAY depart station.

151000Z Apr DAVIS depart station Event XII FINEX

Station FOXTROT Time zone -10 K Rendezvous: Lat 16°40S Long 160°00E

190700ZApr DIAMANTINA arrives. Event XI

200100ZApr DAVIS arrive on station

200900ZApr BAYA and OTWAY arrive on station.

200900Z - 201400Z	Event I OTWAY take station on DAVIS. DIAMANTINA stand clear and monitor shots Event XI FINEX
20 1400Z - 201500Z	BAYA establish range to OTWAY
201500Z - 201900 Z	Event VI, Event XII COMEX 201500Z
201900Z - 202000Z	BAYA and OTWAY surface and reposition
202000Z - 210200Z	Event VII
210200Z - 211000Z	Event XVI
21 1000Z - 211500Z	Event VIII
211500Z - 211700Z	BAYA, OTWAY surface and reposition
211700Z - 212300Z	Event VII
2 12300ZApr	BAYA and OTWAY depart station
220700ZApr	DAVIS depart station Event XIII
Station GOLF Time zone -10 K	Rendezvous: Lat 08°21S Long 152°55E
240700Z	DIAMANTINA arrive Event XI
250100ZApr	DAVIS arrive on station
2 50500ZApr	BAYA and OTWAY arrive on station
250500Z - 251000Z	Event I OTWAY open range, DIAMANTINA monitor
251000Z - 251100Z	BAYA establish range to OTWAY
251100Z - 251600Z	Event VI, COMEX Event XII 251100Z
251600Z - 251700Z	BAYA and OTWAY reposition
25 1700Z - 252300Z	Event VII, Event XII continued
2523 00 - 260700Z	Event XVI, FINEX Event XII 260700Z
260700Z - 261200Z	Event VIII
261200Z - 261300Z	BAYA and OTWAY reposition
2613 00Z - 261900Z	Event VII
261900ZApr	BAYA and OTWAY depart station
2 62000ZApr	DAVIS depart Event XIII

Station HOTEL Time zone -10 K Rendezvous: Lat 14005S Long 15000E

271300ZApr DIAMANTINA arrive Event XI

280900ZApr DAVIS arrive on station

281500ZApr BAYA, OTWAY arrive on station

281500Z - 282290Z Event I DAVIS deploys buoy, FINEX Event XI

282200Z - 290300Z Event IX

290300Z - 290400Z BAYA, OTWAY reposition, COMEX Event XII 290300Z

290400Z - 291000Z Event X

291000Z - 291800Z Event XVI

291800Z - 292300Z Event IX

292300Z - 300100Z BAYA, OTWAY reposition

300100Z - 300700Z Event X, DIAMANTINA independent exercises

300700ZApr BAYA and OTWAY depart area. DAVIS retrieve

buoy. FINEX Event XII 300700Z

301500ZApr DAVIS depart area. Event XIII

Station INDIA Time zone -9 I Rendezvous: Lat 10°00S Long 139°00E

O80300ZMay DIAMANTINA arrive Event XI

O82300ZMay DAVIS, arrive on station

090700ZMay BAYA arrive on station

090700Z - 091400Z Event I

091400Z - 092000Z Event V DIAMANTINA departs, operates independently

092000Z - 092100Z BAYA reposition

092100Z - 100200Z Event IV

100200Z - 101000Z Event XVI

101000Z - 101600Z Event V

101600Z - 101700Z BAYA reposition

101700Z - 102200Z Event IV

102100ZMay BAYA depart

110500ZMay DAVIS depart station

Station JULIETTE Time zone -9 I Rendezvous: Lat 11°30S Long 129°00E

131000ZMay DAVIS arrive on station

131800ZMay BAYA and DIAMANTINA arrive

131800Z - 132400Z Event I, DIAMANTINA monitor

140000Z - 140600Z Event V, DIAMANTINA independent tests

and depart area

140600Z - 140700Z BAYA reposition

140700Z - 141200Z Event IV

141200Z - 142000Z Event XVI

142000Z - 150200Z Event V

150200Z - 150300Z BAYA reposition

150300Z - 150800Z Event IV

150800ZMay BAYA depart

151600ZMay DAVIS depart

Station KILO-ONE Time zone -8 H Rendezvous: Lat 10°30S Long 125°30E

Station KILO-TWO Rendezvous: Lat 11°00S Long 124°00E

DIAMANTINA only will occupy these two stations and will conduct tests as per RANEL instructions.

Station KILO-THREE Time zone -8 H Rendezvous: Lat 11°30S Long 121°30E

241100ZMay DAVIS arrive on station

241900ZMay BAYA arrive on station

241900Z - 242100Z Event XVII Check source levels. DIAMANTINA arrive

242100Z - 250200Z Event I DIAMANTINA monitor shots

250200Z - 250800Z Event y DIAMANTINA make independent tests

250800Z - 250900Z BAYA reposition COMEX Event XII 250800Z

250900Z - 251400Z Event IV

251400Z - 252200Z Event XVI

252200Z - 260400Z Event V

260400Z - 260900Z Event IV

260900ZMay BAYA departs

261500ZMay DAVIS departs FINEX Event XII

Station LIMA-ONE Time zone -8 H Rendezvous: Lat 13008S Long 116026E

271100ZMay DIAMANTINA on station COMEX Event XI

272100ZMay DAVIS arrive on station

272300ZMay BAYA arrive on station

272300Z - 280600Z Event I DIAMANTINA monitor shots FINEX Event

XI 280600Z

280600Z - 281200Z Event III

281200Z - 281300Z BAYA reposition, COMEX Event XII 281200Z

281300Z - 281800Z Event II

281800Z - 290200Z Event XVI

290200Z - 290800Z Event V

290800Z - 290900Z BAYA reposition

290900Z - 291300Z Event IV

291300ZMay BAYA depart station

292100ZMay DAVIS depart station FINEX Event XII

Station MIKE Time zone -7 G Rendezvous: Lat 10°00S Long 107°38E

310400ZMay DIAMANTINA arrive and COMEX Event XI 311400Z

010000ZJun DAVIS arrive on station

010700ZJun BAYA arrive on station

010700Z - 011400Z Event I

011400Z - 012000Z Event III

012000Z - 012100Z BAYA reposition

012100Z - 020200Z Event II

020200Z - 021000Z Event XVI

021000Z - 021600Z Event V

021600Z - 021700Z BAYA reposition

021700Z - 022100Z Event IV

O22100ZJun BAYA depart

O30500ZJun DAVIS depart Continue VLF until rendezvous with

DIAMANTINA

Station NOVEMBER Time zone -6 F Rendezvous: Lat 02000N Long 93000E

132000ZJun DAVIS arrive

140400ZJun BAYA arrive

140400Z - 140600Z Event XVII

140600Z - 141200Z Event I

141200Z - 141700Z Event III

141700Z - 141800Z BAYA reposition

141800Z - 142307Z Event II

142300Z - 150700Z Event XVI

150700Z - 151300Z Event V

151300Z - 151400Z BAYA reposition

151400Z - 151900Z Event IV

151900ZJun BAYA depart

160200ZJun DAVIS depart

Station OSCAR Time zone -6 F Rendezvous: Lat 03°00N Long 84°00E

180400ZJun DAVIS arrive

181100ZJun BAYA arrive

181100Z - 181800Z Event I

181800Z - 182400Z Event III

UNCLASSIFIED



190000Z - 190100Z BAYA reposition

190100Z - 190600Z Event II

190600Z - 191400Z Event XVI

191400Z - 192000Z Event V

192000Z - 192100Z BAYA reposition

192100Z - 200200Z Event IV

200200ZJun BAYA depart

200900ZJun DAVIS depart

Station PAPA Time zone -6 F Rendezvous: Lat 13°CON Long 84°00E

280700ZJun DAVIS arrive

281500ZJun BAYA arrive

281500Z - 281700Z Event XVII

281700Z - 282300Z Event I

282300Z - 290500Z Event III

290500Z - 290600Z BAYA surface and reposition

290600Z - 291100Z Event II

291100Z - 291900Z Event XVI

291900Z - 300100Z Event V

300100Z - 300200Z BAYA reposition

300200Z - 300700Z Event IV

300700ZJun BAYA depart

301300ZJun DAVIS depart

Station QUEBEC Time zone -6 F Rendezvous: Lat 11°20N Long 95°00E

O30000ZJul DAVIS arrive

030700Z BAYA arrive

030700Z - 031400Z Event I





031400Z - 032000Z Event III

032000Z - 032100Z BAYA reposition

032100Z - 040200Z Event II

040200Z - 041000Z Event XVI

041000Z - 041600Z Event V

041600Z - **041700**Z BAYA reposition

041700Z - 042200Z Event IV

042200ZJu1 BAYA depart

050400ZJul DAVIS depart

Station ROMEO Time zone -7 G Rendezvous: Lat 06°00N Long 98°15E

O61600ZJul DAVIS

O61600ZJul BAYA arrive

061600Z - 062100Z Event I

062100Z - 070300Z Event III

070300Z - 070400Z BAYA reposition

070400Z - 070900Z Event II

070900Z - 071700Z Event XVI

071700Z - 072300Z Event V

072300Z - 072400Z BAYA reposition

080000Z - 080600Z Event IV

080600ZJul BAYA depart

081400ZJu1 DAVIS depart